

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	husler-d\$.in.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/11 10:56
S2	5	husler-d\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 11:19
S3	1	"20030001310"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/11 16:29
S4	7	"7208219"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/11 16:30
S5	0	wo "0258916"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 16:30
S6	17	quickstep technologies	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 16:32
S7	16	"1238784"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 16:32
S8	2	"0893235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 16:33
S9	16	fokker special products	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 16:33

S10	2	wo "9607532"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 16:59
S11	12	"6149844"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/11 17:01
S12	6113	(thin-walled or thin) near20 ((metal or copper or nickel) with (mold or mould))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/12 11:40
S13	1321	(thin-walled or thin) near20 ((metal or copper or nickel) adj (mold or mould))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/12 12:01
S14	33	S13 and (vacuum or (air tight))	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/12 12:03
S15	213	S13 and (vacuum or (air tight))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 12:11
S16	5	"6779999"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 15:12
S17	29467	(metal with (mold or mould)) and (cetering or centers or centered)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 15:45
S18	465277	S17 and copper or nickel	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 15:45
S19	10309	S17 and (copper or nickel)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 15:46
S20	2200	S19 and (heat\$4 with (coil\$3 or channel or wir\$4))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 15:46
S21	874	S20 and (cool\$4 with (coil\$3 or channel or wir\$4 or liquid or current))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 15:49
S22	262	S21 and (thermoplastic or thermoform)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 15:54
S23	212	S22 and (vacuum\$5 or compress\$5)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 15:54
S24	119	S22 and (vacuum\$5 and compress\$5)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/12 15:55
S25	1	"7172405"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/13 08:12

S26	0	"I24" and (metallic with shell with (mold or mould))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/13 09:35
S27	835	(metallic with shell with (mold or mould))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 09:35
S28	1495838	vacuum or ((air tight near seal\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 09:36
S29	134	S27 and S28	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/13 09:36
S30	351	(metallic near5 (shell with (mold or mould)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 09:45
S31	65	S30 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 09:45
S32	78933	metal\$4 adj (mold or mould)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 09:53
S33	52	S32 and (galvani\$5 with (copper or nickel or Cu or Ni))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 09:54
S34	57303	vacuum\$ with (mold or moulding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 11:06

S35	3637	(mold or mould) and (shell with (halves or half or (upper and lower))) and (seal or sealant or sealed)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 11:07
S36	434	S34 and S35	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/13 11:08
S37	12	S36 and ((copper or nickel or cu or ni) near4 (mold or mould))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/13 11:09
S38	12449	264/101.ccls. or 264/102.ccls. or 264/257.ccls. or 264/258.ccls. or 264/313.ccls. or 264/320.ccls. or 264/325.ccls. or 264/327.ccls. or 425/405.1.ccls. or 425/40.420.ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/16 16:01
S39	1519	S38 and ((metal or metallic or galvanized copper or copper or galvanized nickel or nickel or cu or ni) with mold)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/16 16:02
S40	624	S38 and ((metal or metallic or galvanized copper or copper or galvanized nickel or nickel or cu or ni) near2 mold)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/16 16:03
S41	15	S40 and shell mold	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/16 16:03
S42	3376	vacuum\$4 (mold\$4 or mould\$4) and (seal or seal\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 09:18
S43	41	S42 and (seal with (adjust\$4 or compensat \$4))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 09:19
S44	29484	(metal with (mold or mould)) and (cetering or centers or centered)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 11:24
S45	10317	S44 and (copper or nickel)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 11:24
S46	2200	S45 and (heat\$4 with (coil\$3 or channel or wir\$4))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 11:24

S47	874	S46 and (cool\$4 with (coil\$3 or channel or wir\$4 or liquid or current))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 11:24
S48	262	S47 and (thermoplastic or thermoform)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 11:24
S49	119	S48 and (vacuum\$5 and compress\$5)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 11:24
S50	93	S49 and liquid	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 11:24
S51	1118843	mold or mould or mould\$4 or mold\$4	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 11:37
S52	2994449	heating or heated or heat or cooling or cooled or cool	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 11:38
S53	3536376	metal or copper or nickel or cu or ni	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 11:38
S54	86547	(S51 with S52) and S53 and (liquid or fluid)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 11:40
S55	52731	(S51 with S52) and S53 and (electronic or electric)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 11:40
S56	17512	S54 and (channel)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 11:41
S57	474	S55 and (insulated wire)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 11:41
S58	632	S56 and "264".class.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 11:45
S59	504	S58 and (heat\$4 and cool\$4)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 11:45
S60	7	S57 and "264".class.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 11:46
S61	6	"6344160"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/17 13:47
S62	2	"20030234474"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/18 14:24
S63	1	"20020113340"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/18 14:25
S64	68	vacuum forming and vacuum channel	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/18 14:53
S65	962913	copper or nickel	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/18 17:26
S66	99	galvanized copper or galvanized nickel	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/18 17:26
S67	9	S66 and mold	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/18 17:27

S68	1	"20010044007"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/19 11:36
S69	1	"6136238"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/19 11:37
S70	1788	heat\$4 near10 (wire with mold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 11:45
S71	320	S70 and (insulat\$5 near10 wir\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 11:46
S72	1	"20010044007"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/19 17:04
S73	1	"6136238"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/19 17:05
S74	1	"20020116951"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/19 17:37
S75	1788	heat\$4 near10 (wire with mold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 17:39
S76	320	S75 and (insulat\$5 near10 wir\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 17:39
S77	105	S76 and plastic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/19 17:39
S78	269156	(mold\$4 or mould\$4) and thermoplastic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 10:36

S79	1874031	heat\$4 and cool\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 10:37
S80	593930	(temperature profile) or (chang\$4 near20 temperature) or ((non- linear or non linear or ("not" linear)) near20 temperature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 10:40
S81	14531	S78 and S79 and S80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 10:40
S82	194914	(heat or heating or heats or heated) near10 rate	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/23 10:42
S83	3791	S81 and S82	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/23 10:42
S84	883	S83 and (local\$3 and differen\$4)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/23 10:43
S85	170	S83 and (local\$3 with differen\$4)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/23 10:43
S86	163	S83 and (local\$3 with differ\$5)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/23 10:43
S87	29671	S78 and (surface layer or (fabric laminat\$4) or decorat\$4 or decorative layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 11:26
S88	82	S87 and ((elastic near10 material) with insert\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 11:35
S89	5392	S87 and shell	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 13:49

S90	483	S87 and (shell near5 mold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 13:57
S91	167	S87 and (shell mold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 14:05
S92	4	S91 and (metal\$4 insert)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 14:18
S93	257	S87 and (metal\$4 insert)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 14:18
S94	2	"6344160".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/23 14:32
S95	12	"6344160".pn. or "20020113340" or "20030234474" or "4024090".pn. or "5989008".pn. or "5591385".pn. or "20010044007" or "4024090".pn. or "6136238".pn. or "20020151233" or "20010041251" or "5439630".pn.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/24 17:41

3/ 26/ 2009 4:30:23 PM

C:\ Documents and Settings\ kaziz\ My Documents\ EAST\ Workspaces\ 10599087.wsp